

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2944	257/773.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:23
L2	2196	257/786.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:23
L3	4487	257/758.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:23
L4	70	1 and (bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos\$3 or hole) and (input or output or signal)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:26
L5	74	2 and (bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos\$3 or hole) and (input or output or signal)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:26

L6	107	3 and (bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos\$3 or hole) and (input or output or signal)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:26
L7	0	((bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos \$3 or hole) and (input or output or signal)). clm.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:27
L8	0	(bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos \$3 or hole) and (input or output or signal)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:27

L9	2937	(bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos\$3 or hole) and (input or output) and signal	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:28
L10	262	9 and (input adj buffer) and (transistor or circuit)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:30
L11	250	9 and (input adj buffer) and (output adj buffer) and (transistor or circuit)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 14:31
L12	0	kanzaki.in. near2 teraki.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 15:57
L13	23	kanzaki.in. near2 teruaki.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 15:58
L14	18	deguchi.in. near2 yoshinori.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 15:58
L15	16	Miki.in. near2 kazunobu.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 15:59
L16	50	13 or 14 or 15	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 15:59
L17	0	16 and ((bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos\$3 or hole) and (input or output or signal)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 15:59

L18	5	16 and (bonding adj pad) and (metal or wiring) and (first or second) and (insulat\$3 or dielectric) and (pitch or interval or spacing) and (shape or pattern or array) and (thickness or depth) and (length or width) and (opening or expos\$3 or hole) and (input or output or signal)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/30 16:00
L19	356	257/786.ccls.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 16:19
L20	449	257/773.ccls.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 16:19
L21	149	257/E23.145.ccls.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 16:20
S1	0	"090163267"	JPO	OR	ON	2009/05/17 13:17
S2	0	"163267"	JPO	OR	ON	2009/05/17 13:17
S3	0	JP409163267	JPO	OR	ON	2009/05/17 13:18
S4	0	JP090163267	JPO	OR	ON	2009/05/17 13:19
S5	0	"090163267"	JPO	OR	ON	2009/05/17 13:19
S6	0	JP080236706	JPO	OR	ON	2009/05/17 13:20
S7	1	JP08236706	JPO	OR	ON	2009/05/17 13:20
S8	1	JP09163267	JPO	OR	ON	2009/05/17 13:20
S9	1	JP09299567	JPO	OR	ON	2009/05/17 13:21
S10	0	JP80236706	JPO	OR	ON	2009/05/17 13:22
S11	0	JP800236706	JPO	OR	ON	2009/05/17 13:23
S12	0	JP9163267.pn.	JPO	OR	ON	2009/05/17 13:27

S13	0	JP9163267	JPO	OR	ON	2009/05/17 13:28
S14	1	"09163267"	JPO	OR	ON	2009/05/17 13:29
S15	1	"09299567"	JPO	OR	ON	2009/05/17 13:29
S16	2785	257/773.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 11:33
S17	2117	257/786.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 11:33
S18	4365	257/758.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 11:33
S19	14	S16 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (stress or crack) and (reinforcement or anchor) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 11:36
S20	20	S17 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (stress or crack) and (reinforcement or anchor) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 11:36
S21	24	S18 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (stress or crack) and (reinforcement or anchor) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 11:36
S22	1	"6181016".PN.	USPAT; USOCR	OR	ON	2009/05/18 11:37
S23	1	"5739587".PN.	USPAT; USOCR	OR	ON	2009/05/18 11:38
S24	1	"6130459".PN.	USPAT; USOCR	OR	ON	2009/05/18 11:42
S25	1	"5981302".PN.	USPAT; USOCR	OR	ON	2009/05/18 11:42

S26	1	"5844317".PN.	USPAT; USOCR	OR	ON	2009/05/18 11:43
S27	1	"5309025".PN.	USPAT; USOCR	OR	ON	2009/05/18 12:03
S28	1	"5309205".PN.	USPAT; USOCR	OR	ON	2009/05/18 12:03
S29	1	"5248903".PN.	USPAT; USOCR	OR	ON	2009/05/18 12:04
S30	1	"5707894".PN.	USPAT; USOCR	OR	ON	2009/05/18 12:04
S31	1	"5309025".PN.	USPAT; USOCR	OR	ON	2009/05/18 12:05
S32	1	"4981061".PN.	USPAT; USOCR	OR	ON	2009/05/18 12:05
S33	1	"4060828".PN.	USPAT; USOCR	OR	ON	2009/05/18 12:06
S34	392	(bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (stress or crack) and (reinforcement or anchor) and (insulat\$3 or dielectric) and (pitch or spacing) and (shape or length or width)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:24
S35	329	S34 and (section or profile)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:25
S36	154	S17 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (stress or crack or anchor) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:30
S37	246	S18 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (stress or crack or anchor) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:30
S38	94	S36 and (section or profile)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:30

S39	133	S36 and (shape or section or profile)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:30
S40	213	S37 and (shape or section or profile)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:30
S41	156	S17 and (bonding adj pad) and (metal or wiring) and (via or hole or trench) and (first or second) and (stress or crack or anchor) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:45
S42	135	S41 and (shape or section or profile)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 12:45
S43	1	"20010000928".PN.	US-PGPUB	OR	ON	2009/05/18 13:02
S44	1	"5847466".PN.	USPAT; USOCR	OR	ON	2009/05/18 13:02
S45	1	"5986343".PN.	USPAT; USOCR	OR	ON	2009/05/18 16:03
S46	1	"5686762".PN.	USPAT; USOCR	OR	ON	2009/05/18 16:12
S47	449	257/773.ccls.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/18 20:36
S48	356	257/786.ccls.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/18 20:37
S49	149	257/E23.145.ccls.	EPO; JPO	OR	ON	2009/05/18 20:37
S50	503	kanzaki.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:39
S51	1381	Deguchi.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:39
S52	3168	Miki.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:39
S53	1	S50 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:40
S54	5	S51 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:40

S55	25	S52 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (insulat\$3 or dielectric)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:40
S56	31	S52 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (line or shape)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:58
S57	8	S51 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (line or shape)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:58
S58	1	S50 and (bonding adj pad) and (metal or wiring) and (via or hole) and (first or second) and (line or shape)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/18 20:58

10/ 30/ 09 4:20:48 PM

C:\ Documents and Settings\ NParekh\ My Documents\ EAST\ Workspaces\ via-anchor.wsp